



OBSESSED WITH HIGH RESOLUTION



Outdoor Series



For decades, audiophiles around the world have revered KEF for its innovative, high-performance loudspeakers.

passion for acoustic excellence

The company was founded in 1961, and from the mid 1960s collaborated with the BBC in developing new materials for high-end loudspeakers - the results being embodied in the classic LS3/5a monitor, which generated worldwide sales of more than 100,000 systems.

KEF introduced its Uni-Q® technology in 1988, and has since maintained its position at the forefront of loudspeaker and home theatre systems. Our core values – innovation, quality and performance – have ensured that KEF has one of the best international reputations for audio excellence.

KEF is renowned in the history of loudspeaker development, and recognised as a leader in computer analysis for audio. KEF stands for engineering integrity, design innovation and phenomenal acoustic

transparency. Each of our speakers is created with the same passion for acoustic excellence.

Always at the leading edge of producing speakers to fit the latest trends, KEF makes a vast array of products to meet virtually any application or budget: from hi-fi music to multi-channel audio theatre, outdoor speakers to multimedia, our range displays consistent voicing that allows seamless integration throughout homes, hotels, campuses and offices.



Award winning KHT3005SE



KEF's outdoor speakers are tough. Come rain or shine, they deliver a rich, high precision sound.

great outdoors / speakers for all seasons

At KEF, we are renowned for our passion for audio excellence. All our outdoor speakers feature fluid cooled, anodised aluminium dome tweeters and an injection moulded woofer – so no matter whether you play party music on the patio, or broadcast across outdoor venues, you can enjoy the KEF hallmarks of transparency and clarity. The flagship Ci500AW adds an Auxiliary Bass Radiator for deep, authoritative bass.

We complement the audio quality by safeguarding the speakers against the elements. The drivers are mounted from inside the enclosures, which are made of UV resistant, high impact composite, with powder-coated aluminium grilles. Powder-coated aluminium brackets allow you to rotate the speakers through 180 degrees.

But don't just take our word for the outdoor speakers' durability. The Ventura line is IP65 certified, which means independent laboratory tests found them dust tight, and unharmed by jets of water. Their grilles and brackets have survived exposure to salt spray for 50 days.

With four outdoor models ranging from the compact yet powerful Ventura 4 to the mighty Ci500AW, you can choose KEF speakers to enjoy throughout the seasons, and through the years.

specifications



White.

Black.



Model	Ci500AW	Ventura 6*	Ventura 5*	Ventura 4*
Design	Two-way Sealed box (ABR)	Two-way Sealed box	Two-way Sealed box	Two-way Sealed box
Drive units	130mm (5.25in.) LF 55 sq.cm ABR 25mm (1in.) HF	160mm (6.5in.) MF/LF 25mm (1in.) HF (Fluid cooled aluminium)	130mm (5.25in.) MF/LF 25mm (1in.) HF (Fluid cooled aluminium)	115mm (4.5in.) LF 19mm (0.75in.) HF (Fluid cooled aluminium)
Frequency response (±3dB)	60Hz - 20kHz	54Hz - 20kHz	60Hz - 20kHz	75Hz - 20kHz
Crossover frequency	3kHz	3kHz	3.8kHz	3.5kHz
Amplifier requirements	10 - 70 W	10 - 125 W	10 - 100 W	10 - 80 W
Sensitivity (2.83V/1m)	87dB	90dB	89dB	88dB
Nominal impedance	4Ω	6Ω	6Ω	6Ω
Finish	White	White	White / Black	White
Net weight	3.8kg (8.36lbs)	3.8kg (8.4lbs)	3.3kg (7.25lbs)	2.4kg (5.3lbs)
Dimensions (H x W x D)	290 x 180 x 173 mm (11.41 x 7.08 x 6.81 in.)	298 x 226 x 183 mm (11.73 x 8.9 x 7.19 in.)	260 x 194 x 165 mm (10.24 x 7.64 x 6.48 in.)	230 x 171 x 154 mm (9.04 x 6.75 x 6.08 in.)

*Independent test laboratory certified IP65



OBSSESSED WITH HIGH RESOLUTION

www.kef.com

United Kingdom
GP Acoustics (UK) Limited
Eccleston Road, Tovil, Maidstone,
Kent, ME15 6QP U.K.
Telephone: + 44 (0) 1622 672261
Fax: + 44 (0) 1622 750653
Email: info@kef.com

China
GP Acoustics (China) Limited
Unit 4910, Diwang Commercial Centre,
Shenzhen, China 518008.
Telephone: +86 (755) 8246 0746
Fax: +86 (755) 8246 0125
Email: info.prc@gpe-hkg.com

Europe (EMEA)
GP Acoustics GmbH
Am Brambusch 22, 44536, Lünen,
Deutschland.
Telephone: +49 (0) 231 9860-320
Fax: +49 (0) 231 9860-330
Email: sales@gpaeu.com

France
GP Acoustics (France) SAS
39 Rue des Granges Galand - BP60414,
37554 Saint Avertin CEDEX, France.
Telephone: +33 (0) 2 47 80 49 01
Fax: +33 (0) 2 47 27 89 64
Email: info.france@kef.com

Hong Kong
GP Acoustics (HK) Limited
6F, Gold Peak Building,
30 Kwai Wing Road, Kwai Chung,
N.T., Hong Kong.
Telephone: +852 2410 8188
Fax: +852 2401 0754
Email: info@gpacoustics.com.hk

Japan
KEF Japan, 1-11-17, Honcho, Koganei-city,
Tokyo, Japan. 184-0004.
Telephone: +81 (0) 42-388-2030
E-mail: info@kef.jp

USA
GP Acoustics (US) Inc.
10 Timber Lane, Marlboro,
New Jersey 07746 U.S.A.
Telephone: +1 (732) 683 2356
Fax: +1 (732) 683 2358
Email: sales@kefamerica.com

KEF is a registered trademarks. KEF technologies are protected by worldwide patents. All text and image copyrights reserved. KEF reserves the right, in line with continuing research and development, to amend or change specifications. E&OE.